

PARTICLE SIZE AND SHAPE ANALYZER

CAMSIZER® XL

The CAMSIZER XL by Microtrac is a large particle size and shape analyzer that can measure particles ranging in size from 160 to 135,000 µm.

- | Characterizes more than 40 morphological parameters of your material including 3D
- | Non-contact measurement of dry particles ranging in size from 160 – 135,000 µm
- | Customizable sample introduction
- | Analyses 100 images per second with high-speed, high-resolution camera
- | Enclosed optical system which reduces downtime for maintenance



[Click to view video](#)

Product Video

FEATURES

- | By having the ability to measure more than 40 parameters including 15 size, 13 shape / form, 3 surface roughness, density, transparency, and 3D in one analysis, the CAMSIZER XL provides users with superior analysis capability that enables quick and confident decision-making regarding product quality
- | Industry leading size range provides the user with greater analysis flexibility to measure a variety of materials
- | The high-speed, high-resolution camera ensures multiple, vivid pictures of your material are collected which result in accurate analysis
- | Engineered to be able to handle the toughest environments, the CAMSIZER XL is adaptable for any lab setting
- | The self-cleaning mechanism allows a user to spend less time cleaning the instrument, and more time

being productive

TYPICAL APPLICATIONS

Used in various fields such as: aggregates , building materials, fertilizers, food, geology / mining, glass beads, ...

cement

fertilizers

wood chips

To find the best solution for your particle characterization needs, visit our application database

PARTICLE SIZE AND SHAPE ANALYZER CAMSIZER XL

TECHNICAL DATA

Measuring principle	Dynamic Image Analysis (ISO 13322-2 & 9276-6)
Measuring range	160 µm - 135 mm
Measurement parameters	The patented 3D measurement follows the ISO 13322-2
Measurement rate	> 100 images/s
Scale factor (µm / pixel)	160 µm / pixels
Camera pixel layout	2560 x 2048 pixels, 62 fps at max resolution
Light source	Stroboscopic light
Electrical	110-230 V / 50-60 Hz
Power consumption	Approx. < 100 Watt
Sample amount	> 2kg (depending on application)
Measuring time	~ 1 - 5 minutes (depending on application)
Physical specifications	Aluminum and stainless steel
Dimensions (W x H x D)	400 x 1229 x 1693 mm
Weight	~ 70 kg

www.microtrac.com/camsizer-xl